International Journal of Institutional Pharmacy and Life Sciences 2(2): March-April 2012

# INTERNATIONAL JOURNAL OF INSTITUTIONAL PHARMACY AND LIFE SCIENCES

**Pharmaceutical Sciences** 

Research Article.....!!!

Received: 01-03-2012; Accepted: 04-03-2012

## DEVELOPMENT AND VALIDATION OF UV SPECTROPHOTOMETRIC ABSORPTION RATIO METHOD FOR ESTIMATION OF ROSUVASTATIN CALCIUM AND FENOFIBRATE IN TABLET DOSAGE FORM

J.A. Dave\*, R. R. Parmar, D. A. Shah, P. P. Nayak

Department of Quality Assurance, APMC College of Pharmaceutical Education and Research, College campus, Motipura, Himatnagar-383001, Gujarat-INDIA.

## **Keywords:**

Q-absorption ratio, distilled water, rosuvastatin calcium, fenofibrate, spectrophotometric, validation

## For Correspondence:

J.A. Dave

APMC College of Pharmaceutical Education and Research, Motipura, Himatnagar-383001, Gujarat-INDIA

## E-mail:

jaysuz b.pharmacy@yahoo.co.in

#### **ABSTRACT**

A simple, rapid, accurate, precise and economical UV spectrophotometric method for the determination of Rosuvastatin Calcium and Fenofibrate in combined tablet dosage form using absorption ratio method has been developed. The method is based on the absorption ratio method for analysis of both the drugs using combine methanol and distilled water as solvent. Rosuvastatin calcium has absorbance maxima at 241 nm and Fenofibrate has absorbance maxima at 290 nm, and isosbetic point at 251.5nm. The linearity was obtained in the concentration range of 2-17 µg/ml and 2-22 ug/ml for rosuvastatin calcium and fenofibrate respectively at 241nm and 251.5nm. The concentrations of the drugs were determined by using absorption ratio method. The mean was  $100.40 \pm 0.43$  and  $100.25 \pm 0.37$  for rosuvastatin calcium and fenofibrate respectively. The method was found to be simple, accurate and precise and was applicable for the determination of rosuvastatin calcium and fenofibrate in pharmaceutical tablet dosage form. The results of analysis have been validated statistically and by recovery studies.

#### INTRODUCTION

Rosuvastatin-fenofibrate combination is widely used in the treatment of hyper cholesterolemia and Hypertriglyceridemia. Rosuvastatin Calcium (RSV) is (E)-(3R ,5S) - 7-{4-(4-fluorophenyl)-6-isopropyl-2-{methyl(methylsulphonyl amino) lpyrimidin-5-yl}-3,5-dihydroxyhepten-6-oic acid calcium salt<sup>[1]</sup>. It is a lipid lowering drug. It inhibits the enzyme 3-hydroxry-3-methyl glutaryl coenzyme A (HMG-CoA) reductase, the rate limiting enzyme that converts HMG-CoA to mevalonate ;a precursor of cholesterol and there by checks the synthesis of cholesterol. It is used in the treatment of hyper cholesterolemia and dyslipidemia . A survey of literature showed few UV spectrophotometric, few HPLC, few HPTLC, two chromatography stability indicating method, for the estimation of rosuvastatin in pharmaceutical preparation and in biological fluids.

Fenofibrate is a drug of the fibrate class. Fenofibrate(FENO) is chemically 1-methyl ethyl2-[4-(chloro benzoyl) phenoxy]-2-methylpropanoate<sup>[2-3]</sup>. Like other fibrates,it reduces both low density lipoprotein (LDL) and very low density lipoprotein(VLDL) levels. A survey of literature showed few UV spectrophotometric, few HPLC, are available for estimation of fenofibrate in pharmaceutical preparation and in biological fluids. On the combined dosage form of rosuvastatin calcium and fenofibrate UV spectrophotometric simultaneous equation method and RP-HPLC method are reported. [17-18]

No literature survey have been revealed for spectroscopic methods using distilled water and methanol combined as a solvent. The present manuscript describes simple, accurate, precise, rapid and economic spectrophotometric method based on absorption ratio for estimation of RSV and FENO in tablet dosage form using distilled water and methanol as a combined solvent.

#### MATERIALS AND METHODS

#### **Apparatus:**

A shimadzu model 1700 (Japan) double beam UV/Visible spectrophotometer with spectral width of 2 nm, wavelength accuracy of 0.5 nm and a pair of 10 mm matched quartz cell was used to measure absorbance of all the solutions. A Reptech electronic weighing analytical balance based on EMFC technology and a Toshcon ultrasonic bath (Toshniwal process instrument pvt ltd.) was used in the study.

#### Reagents and Materials

Rosuvastatin calcium and fenofibrate bulk powder was kindly gifted by Torrent Research Center, Gandhinagar, Gujarat, India. The commercial fixed dose combination Razel-F10 tablet was procured from the local market. All other chemicals used were of analytical grade. Distilled water and caliberated glasswares were employed throughout the work.

#### Preparation of standard stock solutions:

An accurately weighed quantity of RSV (50 mg) and FENO (50 mg) were transferred to a separate 50 ml volumetric flask. Add 20 ml methanol, sonicate and diluted to the mark with methanol ( $1000\mu g/ml$ ) each. From the above solutions prepare solutions having concentration RSVand FENO ( $100\mu g/ml$ ) each with methanol. From the above solutions prepare solutions having concentration RSV( $10 \mu g/ml$ ) and FENO ( $10 \mu g/ml$ ) with distilled water.

#### Method:

The standard solutions of RSV(10  $\mu$ g/ml) and FENO (10  $\mu$ g/ml) were scanned separately in the UV range of 200-400 nm to determine the max of both the drugs. The max of RSV and FENO were found to be 241 nm and 290 nm respectively. Isosbetic point was found to be at 251.5nm.Six standard solutions having concentration 2, 5, 8, 11, 14 and 17  $\mu$ g/ml for RSVand 2,6, 10, 14, 18 and 22  $\mu$ g/ml for FENO were prepared in distilled water using the solutions having concentration 100  $\mu$ g/ml. 241nm(absorption max.of RSV) and 251.5nm (isosbetic point) were selected for analysis. The absorbance of resulting solutions was measured at 241 nm and 251.5 nm and calibration curves were plotted at these wavelengths. The absorptivity coefficients of these two drugs were determined using calibration curve equations. The concentration of RSV and FENO in sample solution was determined by solving the respective absorption ratio equations generated by using absorptivity coefficients and absorbance values of RSV and FENO at these wavelengths.

#### Validation of the proposed method:

The proposed method was validated according to the International Conference on Harmonization (ICH) guidelines<sup>[6]</sup>.

#### Linearity (Calibration curve):

The calibration curves were plotted over a concentration range of 2-17  $\mu$ g/ml and 2-22  $\mu$ g/ml for RSV and FENO respectively. Accurately measured standard solutions of RSV(100  $\mu$ g/ml) (2, 5, 8,11, 14, and17 ml) and FENO(100  $\mu$ g/ml) (2, 6, 10, 14,18 and 22 ml) were transferred to a series of 100 ml of volumetric flasks and diluted to the mark with distilled water. The absorbances of the solutions were measured at 241nm and 251.5 nm against distilled water as blank. The calibration curves were constructed by plotting absorbances versus concentrations and the regression equations were calculated.

#### Method precision (repeatability):

The precision of the instrument was checked by repeated scanning and measurement of absorbance of solutions (n = 6) for RSV and FENO (10 µg/ml for both RSV and FENO) without changing the parameter of the proposed spectrophotometry method.

## Intermediate precision (reproducibility):

The intraday and interday precision of the proposed method was determined by analyzing the corresponding responses 3 times on the same day and on 3 different days 3 different concentrations of standard solutions of RSV and FENO.

## Accuracy (recovery study):

The accuracy of the method was determined by calculating recovery of RSV and FENO by the standard addition method. Known amounts of standard solutions of RSV and FENO were added at 80, 100 and 120 % level to prequantified sample solutions of RSV and FENO. The amounts of RSV and FENO were estimated by applying obtained values to the respective regression line equations. The experiment was repeated for three times.

#### Limit of detection and Limit of quantification:

The limit of detection (LOD) and the limit of quantification (LOQ) of the drug were derived by calculating the signal-to-noise ratio (S/N) using the following equations designated by International Conference on Harmonization (ICH) guidelines.

 $LOD = 3.3 \times \sigma/S$ 

 $LOO = 10 \times \sigma/S$ 

Where,  $\sigma$  = the standard deviation of the response and S = slope of the calibration curve.

#### Analysis of RSV and FENO in combined tablet dosage form:

Twenty tablets were weighed and powdered. The powder equivalent to 10 mg of RSV and 67 mg of FENO was transferred to a 100 ml volumetric flask. Methanol (30 ml) was added to it and sonicated for 20 min. The solution was filtered through Whatman filter paper No. 41 and the volume was adjusted up to the mark with methanol . From the above stock solution 10 ml of solution is taken and diluted to the mark in 100ml volumetric flask. The above solution was suitably diluted with distilled water to get a final concentration of 2  $\mu$ g/ml of RSV and 13.4  $\mu$ g/ml of FENO. The absorbances of the tablet sample solution i.e. A1 and A2 were recorded at 251.5 nm (isosbetic point) and 241 nm and ratios of absorbance were calculated, i.e. A2/A1. Relative concentration of two drugs in the sample solution was calculated using respective absorption ratio equations generated by using absorptivity coefficients and absorbance values of RSVand FENO at these wavelengths.

The concentration of RSV and FENO in solutions obtained by solving equation (1) and (2).

$$CX = QM-QY / QX - QY \times A1 /aX1$$
 -----(1)  
 $CY = QM-QX / QY - QX \times A1 /aY1$  -----(2)

Where, QX = aX2 / aX1 QY = aY2 / aY1 QM = A2 / A1

where,  $A_1$  and  $A_2$  are absorbance of sample solution at Isosbetic point and  $\mathbb{H}$  max of drug RSV respectively;  $ax_1$  and  $ax_2$  are the absorptivities of drug RSV ,  $ay_1$  and  $ay_2$  are the absorptivities of drug FENO at the two wavelengths respectively

#### RESULTS AND DISCUSSION

In this method, two wavelengths were used for the analysis of the drugs. 251.5 nm (isosbetic point) and 241 nm (max of RSV) are the wavelengths at which calibration curves were prepared for both the drugs. This method is applicable to the drugs that obey Beer's law at all wavelengths and the ratio of absorbances at any two wavelengths are a constant value, independent of concentration or pathlength. The criteria for obtaining maximum precision<sup>[18]</sup> by this method were calculated and ratio of the absorbance of different dilution of same substances at two wavelength are constant. Once the absorptivity values are determined very little time is required for analysis, as would require determination of absorbances of the sample solution at two selected wavelengths and few

simple calculations. Linear correlation was obtained between absorbances and concentrations of RSV and FENO in the concentration ranges of 2-17 µg/ml and 2-22 µg/ml for both drugs respectively at 251.5nm and 241nm. The linearity of the calibration curve was validated by the high values of correlation coefficient of regression. LOD and LOQ values for RSV were found to be 0.33 and 1.01 µg/ml and 0.27 and 0.81 µg/ml at 251.5nm and 241 nm respectively. LOD and LOQ values for FENO were found to be 0.39 and 1.19 µg/ml and 0.42 and 1.29 µg/ml at 251.5nm and241 nm respectively. These data show that method is sensitive for the determination of RSV and FENO. All the regression analysis data and summary of validation parameters for the proposedmethod is reported in Table 1

The recovery experiment was performed by the standard addition method. The mean recoveries were  $100.40 \pm 0.43$  and  $100.25 \pm 0.37$  for RSV and FENO respectively indicates accuracy of the proposed method (Table 3). The proposed validated method was successfully applied to determine RSV and FENO in their combined dosage form. The results obtained for RSV and FENO were comparable with the corresponding labeled amounts (Table 2). The RSD values for assay of RSV and FENO were found to be 0.84 and 2.0 respectively. Relative standard deviation was less, which indicates that proposed method is repeatable (Table 4). No interference of the excipients with the absorbance of interest appeared; hence the proposed method is applicable for the routine simultaneous estimation of RSV and FENO in pharmaceutical tablet dosage forms.

The proposed spectrophotometric method was found to be simple, sensitive, accurate and precise for determination of RSV and FENO in tablet dosage form. The method utilizes easily available and low cost solvent like distilled water for analysis of RSV and FENO. Hence the method was also found to be economic for estimation of RSV and FENO from tablet.

**ILLUSTRATIONS: TABLES** 

ABSORPTION RATIO METHOD								
Parameters	R	RSV	FENO					
Wavelength (nm)	251.5	241	251.5	241				
Beer's law limit (µg /ml)	2-17	2-17	2-22	2-22				
Regression equation (y = mx + c) Slope (m) Intercept (c)	y = 0.032x + 0.004 $0.032$ $0.004$	y = 0.040x + 0.014 0.040 0.014	y = 0.033x + 0.031 $0.033$ $0.031$	y = 0.026x - 0.051 $0.026$ $0.051$				
Absorptivity values (1 / mole cm)	$0.034 \times 10^4$	$0.040 \times 10^4$	$0.033x10^4$	$0.026 \times 10^4$				
Correlation coefficient(r²)	0.999	0.999	0.999	0.998				
LOD (µg/ml)	0.33	0.27	0.39	0.42				
LOQ (µg/ml)	1.01	0.81	1.19	1.29				

## II. RESULTS OF ANALYSIS OF TABLET FORMULATION

Drugs	Absorption ratio method		
8	% ± RSD(n=6)		
RSV	$100.19 \pm 0.8$		
FENO	$101.68 \pm 2.0$		

n = number of replicates


## III. RESULTS OF THE RECOVERY STUDIES

Level of recovery %			Absorption ratio method method % recovery	
	RSV	FENO	RSV	FENO
80	7.9	53.0	100.86	100.34
100	9.9	66.6	99.98	99.84
120	11.9	79.0	100.38	100.58
Mean % recovery			100.40	100.25
	RSD*		0.4389	0.3765

## IV. RESULTS OF INTERMEDIATE PRECISIONS

PRECISION	RSV		FENO	
	241	251.5	241	251.5
INTERDAY(n=3)%RSD	0.43	0.64	0.54	0.58
INTRADAY(n=3) %RSD	0.56	0.27	0.31	0.31

## **FIGURES:**



OVERLAIN SPECTRA OF ROSUVASTATIN CALCIUM AND FENOFIBRATE IN METHANOL AND WATER COMBINED SOLVENT.

#### **FENOFIBRATE**

**ROSUVASTATIN CALCIUM** 

#### **ACKNOWLEDGEMENT**

The authors are thankful to Torrent Research Center, Gandhinagar, Gujarat, India for providing gift sample of RSV and FENO for research. The authors are highly thankful to APMC College of Pharmaceutical education and research, Himatnagar, Gujarat, India for providing all the facilities to carry out the work.

#### REFERENCES

- 1.Indian Pharmacopoeia 2007, Volume -III, The Indian Pharmacopoeia Commission, Ghaziabad, Govt. of India, Ministry of Health and Family Welfare, 1676,1677.
- 2. British pharmacopoeia 2001, volume 1, 3rd amended edition of European pharmacopoeia 1997, britishpharmacopoeial commission, London SW85NQ, 713.
- 3. United state pharmacopoeia 30, NF25, United state pharmacopoeial convention, 658.
- 4. Beckett AH, Stenlake JB, Practical Pharmaceutical Chemistry, Part-II, C.B.S. Publishers, Delhi, 4th edition, 2001, 285-297.
- 5. Skoog DA, West DM, Principle of instrumental analysis, second edition, Thomson Brooks/Cole publication, 168-202, 658-717.
- 6. ICH Q2 A, "Text on Validation of Analytical Procedures", ICH Harmonized Tripartite Guideline, Mar. 1995.
- 7. Rang HP, Dale MM, Ritter JM, Flower RJ, Rang And Dale Pharmacology, sixth edition, Elservier publication, 324-0326.
- 8. Gupta A, Mishra P and Shah K, "Simple UV Spectrophotometric Determination of Rosuvastatin Calcium in Pure Form and in Pharmaceutical Formulations", *E-Journal of Chemistry http://www.e-journals.net*, 2009, 6(1), 89-92.
- 9. Uyar B, Celebier M, Altinoz S, "Spectrophotometric determination of rosuvastatin calcium in tablets", *Pharmazie*, june 2007. 62(6), 411-3.
- 10. Badawy AM , Mostafa NM. , Abd El-Aziz B, Abd El-Aleem , Nesrine T, "Stability Indicating Spectrophotometric Methods For Determination Of Rosuvastatin In The

- Presence Of Its Acid Degradation Products By Derivative Spectrophotometric Tecniques", *Journal of Advanced Pharmaceutical Research*, 2011, 2(1), 44-55.
- 11. Gajjar AK and Shah VD," Simultaneous estimation of rosuvastatin and ezetimibe by ratio spectra derivative spectrophotometry method in their fixed dosage forms", international journal of pharmtech research, 2010, 2, 404-410.
- 12. Pandya CB, Channabasavaraj KP, Shridhara HS, "Simultaneous Estimation of Rosuvastatin Calcium and Ezetimibe in Bulk and Tablet Dosage Form by Simultaneous Equation Method", *International Journal of ChemTech Research*, 2010, 2, 2140-2144.
- 13. Gajjar AK and ShahVD, "Simultaneous uv-spectrophotometric estimation of rosuvastatin and ezetimibe in their combined dosage forms", *international journal of pharmacy and pharmaceutical sciences*, 2010, 2, (1), 131-138.
- 14. Gupta KR, Wadodkar SG, "Validated spectrophotometric determination of Fenofibrate in formulation", *Der Pharmacia Sinica*, 2010, 1 (1), 173-178
- 15. Deepan T, Ambethkar P, Vijyalakshmi G, Dhanraju MD, "Analytical method development and validation of atorvastatin and fenofibrate combined dosageform", european journal of applied science, 2011, 3 (2), 35-39. 32
- 16.AlaaEl-Gindy A, SamyEmara A, Mostafa K, Mesbah B, Ghada M, Hadad A, "Spectrophotometric and liquid chromatographic determination of fenofibrate and vinpocetine and their hydrolysis products", *Il Farmaco*, 2005, 60, 425–438.
- 17. Sevda RR, Shirote PJ, "UV Spectrophotometric estimation of Rosuvastatin Calcium and Fenofibrate in bulk Drug and Dosage Form using Simultaneous Equation Method", *International Journal of ChemTech Research*, April-June 2011, 3 (2), 629-635.
- 18. Suresh Kumar GV, "Development and Validation of Reversed-Phase HPLC Method for Simultaneous Estimation of Rosuvastatin and Fenofibrate in Tablet Dosage Form", *International Journal of PharmTech Research*, July-Sept 2010, 2, (3), 2016-2021