International Journal of Institutional Pharmacy and Life Sciences 2(3): May-June 2012

INTERNATIONAL JOURNAL OF INSTITUTIONAL PHARMACY AND LIFE SCIENCES

Pharmaceutical Sciences

Review Article.....!!!

Received: 15-05-2012; Revised; Accepted: 20-05-2012

PHARMACOGNOSTIC, PHARMACOLOGICAL AND ECONOMICAL PROFILE OF GENUS *OCIMUM* -AN OVERVIEW

Deepak Prashar¹*, Monika¹, Manoj Kumar Sharma¹, Sanjay Saklani²

- 1. Department of Pharmaceutical Sciences, Vinayaka College of Pharmacy, Kullu (H.P.), India
- 2. Department of Economics, Govt. College Dharampur, Mandi (H.P.), India

Keywords:

Pharmacological, Economical, Genus, Ocimum

For Correspondence:

Deepak Prashar

Department of Pharmaceutical Sciences, Vinayaka College of Pharmacy, Kullu (H.P.), India

E-mail:

prashardeepak99@yahoo.in

ABSTRACT

Some herbal substances have proved themselves in every field and got the tag of multispecialty. The genus Ocimum too belongs to this category. Their pharmaco-economical aspects have boosted the researchers as well as the manufacturer and producers. The economical prospect of the herbal world has always acted as a magnet for the investors. This review has presented the close relation of the world of therapy with that of the domination in the field of economics.

INTRODUCTION

The word ocimum have a strong impact in the Asian subcontinent. This category has attained spiritual [1] as well as the respectful position in comparison to other herbal plants. Tulsi, the Queen of herbs, the legendary 'Incomparable one' of India, is one of the holiest and most cherished of the many healing and healthy giving herbs of the orient.



Figure 1: Photographs of plants belonging to Genus Ocimum

Pharmacognostic Profile [2-3]

The plants of genus Ocimum belongs to the family Lamiaceae. Figure 2 represent the Pharmacognostic prospect the different spices of Ocimum.

Figure 2 represent the Pharmacognostic prospect the different spices of Ocimum

Spices	Ocimum basilicum	Ocimum	Ocimum	Ocimum	Ocimum	Ocimum
•		canum	gratissimum	kilimandscharicum	sanctum	viride
Habitat	Lower hills of	Plains and	Throughout	Native of Kenya.	Throughout	Native
	Punjab;	lower hills of	India	Cultivated	India	to
	cultivated	India		on a small scale in		Africa
	throughout India			West Bengal		
English	Sweet Basil,	Hoary Basil	Shrubby	Camphor Basil	Holy Basil,	Fever
Name	Basil Herb		Basil		Sacred Basil	Plant of
						Sierra
						Leone
Ayurvedic	Barbari, Tuvari,	KaaliTulasi,	Vriddha	Karpura Tulasi	Tulasi,	
Name	Tungi,	Vana-Tulasi	Tulasi,		Surasaa,	
	Kharpushpa,		Raam-		Surasa,	
	Ajgandhikaa,		Tulasi,		Manjarikaa,	
	Tulasi		Raan-Tulasi		Bahumanjari	
Unani Name	Faranjmishk.,				Tulasi	
	Raihan					
Siddha/Tamil	Tiruneetruppachhilai	Ganjamkorai,	Elumicha-		Tulasi,	
Name		Nai-Tulasi	Tulasi		Nalla-Tulasi	
Folk Name	Bana-Tulasi					Taap-
						maari
						Tulasi

Main constituents of basil are tannins, alkaloids and volatile oil. Oil mainly consists of eugenol, ursolic acid, rosmarinic acid, thymol, linalool, methyl chavicol, citral and beta-caryophyllene. Contains vitamin C and A, and minerals like calcium, zinc and iron, as well as chlorophyll and many other phytonutrients. Also enhances the efficient digestion, absorption and use of nutrients from food and herbs. Protein: 30 Kcal, 4.2 g; Fat: 0.5 g; Carbohydrate 2.3 g; Calcium: 25 mg; Phosphorus 287 mg; Iron: 15.1 mg and Edible portion 25 mg vitamin C per 100 g.

Pharmacological Profile

The pharmacological profile of any category directly deals with the therapeutic action it may produce. As far as genus Ocimum is concerned, it has cemented its place in the present world of pharmacology. Its numerous and multidiverse action scenario has provided this category its sole identity. Moreover, this category has dual action in the human life with therapeutically and spiritual values. From the literature point of view, many research and researchers comments are available regarding the active action of spices of the genus Ocimum. Several investigators have proved and cited the anticancer activity of *Ocimum sanctum* [4-7]. The fixed oil of *Ocimum sanctum* (3 ml/kg, ip) prolonged blood clotting time and the response was comparable to aspirin (100 mg/kg) an anticoagulant drug. The antiaggregator action of oil on platelets is responsible for such effect [8]. Table 2 enlisted the pharmacological effect of few spices of Genus Ocimum

TABLE 2 LIST OF PHARMACOLOGICAL EFFECT OF FEW SPICES OF GENUS OCIMUM

Ocimum gratissimum	Ocimum tenuixorum	Ocimum sanctum	
Antihypertensive Effect [9],	Headache, Rheumatic Pains	Antimicrobial Activity [25],	
Cardiovascular Effect [10],	And Arthritis, But Also	Antiulcer [26-28], Antifungal [29-	
Immunostimulatory Effect	Malaria, Fever, Allergies,	31], Antioxidant [32],	
[11], Antidiabetic Effect,	Antioxidant And Detoxifying	Anthelmintic [33],	
Hepatoprotective Effect [12-	Agent [22]	Immunmodulator [34-35],	
13], Hair Loss Therapy [14],	Antibacterial, Antiviral And	Anticancer [36-39], Anti-	
Antioxidant Capacity [15-	Antifungal Activity Of Oils	Cataleptic [40], Wound Healing	
16], Suspending Activiy [17],	Extracted From Ocimum	[41-42], Anticataract [43]	
Anticonvulsant Activity [18-	Tenuixorum[23], Diabetes		
20], Antifertility [21]	Mellitus [24]		
		l	

Economical Profile

The species of the genus Ocimum is distributed all over the place. This genus has shown some miracle as far as the therapeutic action is concerned. No doubt that the drug with numerous

powers has shown the way for the producers, manufacturer and consumers. The traders of the products of this category have economically grown. The country like China has dominated the herbal world but here India has show a foot ahead. Figure 2 shows the dominance of India in manufacturing and trading of the products of the genus Ocimum [44].




Figure 2 Shows the dominance of India in manufacturing and trading of the products of the genus Ocimum




Figure 3 Products distribution of Genus Ocimum

Instead of the dominance of India in this field, the products derived and manufactured from Tulsi have dominated various categories. From Toilet products to that of the Herbal medicine and from Shampoo to Agriculture products this genus has contributed. Their contribution is well disguised in the Figure 3.

CONCLUSION

The holiness of the species of this category has not only fulfilled the spiritual needs of the consumers. But this has also strengthened the economical and social prospects. Moreover, India has overtaken China in manufacturing, supplying and trading of the products derived from the Genus Ocimum. It could also be concluded that the Genus Ocimum is multi-talented and has its prime influence over the marketed preparations. Therapeutically too, this Genus has over headed others and defended the title "Queen of Herbs".

REFERENCES

- 1. Warrier PK. Indian Medicinal Plants. New Delhi, CBS publication, 1995: 168.
- 2. Bhat KKP. Medicinal plant information databases, Agriculture Organization. Rome. 1995.
- 3. Khare CP. Encyclopedia of Indian medicinal plants, Springer business media 2007: 458.
- 4. Madhuri S. Studies on oestrogen induced uterine and ovarian carcinogenesis and effect of ProImmu in rats. PhD thesis, Rani Durgavati Vishwa Vidyalaya, Jabalpur, MP, India: 2008.
- 5. Madhuri S, Govind P. Effect of ProImmu, a herbal drug on estrogen caused uterine and ovarian cytotoxicity. Biomed 2010; 5(1): 57-62.
- 6. Govind P. An overview on anticancer natural products. J Pharm Res 2009; 2(12):1799-1803.
- 7. Govind P, Madhuri S. Autochthonous herbal products in the treatment of cancer. Phytomedica 2006; 7:99-104.
- 8. Singh S, Effect of *Ocimum sanctum* fixed oil on blood pressure, blood clotting time and pentobarbitone-induced sleeping time. J Ethnopharmacol 2001; 78:139-141.
- 9. Interaminense LFL, Magalhaes PJC, Duarte GP, Lahlou S. Enhanced hypotensive effects of the essential oil of *Ocimum gratissimum* leaves and its main constituent, eugenol, in DOCA-salt hypertensive conscious rats. Planta Medica 2005; 71: 376-378.
- 10. Lahlou S, Cardiovascular effects of the essential oil of Ocimum gratissimum leaves in rats: Role of the autonomic nervous system. Clin Exp Pharmacol Physiol 2004; 31: 219-225.
- 11. Oladunmoye MK. Immunostimulatory Activity of ethanolic leaf extract from *Ocimum gratissimum* in albino rat orogastrically dosed with *Escherichia coli* (NCIB 86). J Pharmacol Toxicol 2006; 1: 389-394.
- 12. Mohammed A, Tanko Y, Okasha MA, Magaji RA, Yaro AH. Effects of aqueous leaves extract of *Ocimum gratissimum* on blood glucose levels of streptozotocin induced diabetic wistar rats. Afr J Biotechnol 2007; 6: 2087-2090.
- 13. Effraim KD, Jacks TW, Sodipo OA. Histopathological studies on the toxicity of *Ocimum gratissimum* leave extract on some organs of rabbit. Afr J Biomed Res 2003; 6: 21-25.

- 14. Orafidiya LO, A study on the effect of the essential oil of *Ocimun gratissimum* Linn. on cyclophosphamide induced inhibited hair growth in pulp rats. Aromather 2004; 14: 119-128.
- 15. Trevisan MTS, Silva MGV, Pfundstein B, Spiegelhalder B, Owen RW. Characterization of the volatile pattern and antioxidant capacity of essential oils from different species of the genus Ocimum. J Agric Food Chem 2006; 54: 4378-4382.
- 16. Akinmoladun AC, Phytochemical constituent and antioxidant activity of extract from the leaves of *Ocimum gratissimum*. Sci Res Essay 2007; 2: 163-166.
- 17. Anroop B, Bhatnagar SP, Ghosh B, Parcha V. Studies on *Ocimum gratissimum* seed mucilage: evaluation of suspending properties. Indian J Pharm Sci 2005; 67: 206-209.
- 18. Loscher W, Which animal models should be used in the search for new antiepileptic drugs? A proposal on experimental and clinical considerations, Epilepsy Res 1988; 2: 145- 148.
- 19. Chatterje A, Sukul NC, Laskel S, Ghoshmajumadar S. Nematicides principal from two species of *Lamiaceae*. J Nematol 1982; 14: 118-120.
- 20. Ravikumar, Prabu SL, Mahalaxmi R, Rajendran K, Kumar CD. Studies of disintegrant properties of seed mucilage of *Ocimum gratissimum*. Indian J Pharm Sci 2007; 69: 753-758.
- 21. Pessoa LM, Anthelmintic activity of essential oil of *Ocimum gratissimum* Linn. and eugenol against *Haemonchus contortus*. Veterinary Parasitology 2002; 109: 59–63.
- 22. Bhargava KP, Anti-stress activity of *Ocimum sanctum*. Ind J Med Res 1981; 73:443–451.
- 23. Mediratta PK, Sharma KK. Effect of essential oil of the leaves and fixed oil of the seed of *Ocimum sanctum* on immune response. J Med Aromat Plant Sci 2000; 22:694–700.
- 24. Agarwal P, Randomized placebo-controlled, single blind trail of holy basil leaves in patients with noninsulin- dependent mellitus. Int J Clin Pharmacol Ther 1996; 34:406–409.
- 25. Runyoro D, Chinou I. Chemical composition and antimicrobial activity of the essential oils of four Ocimum species growing in Tanzania. J Food Chem 2010; 119: 311-316.
- 26. Majumddar DK, Singh S. Evaluation of the gastric antiulcer activity of fixed oil of *Ocimum sanctum* (Holy Basil). J Ethnophamacology 1999; 65: 13-19
- 27. Palit G, Dharmani P, Maurya R. Evaluation of anti-ulcerogenic and ulcer-healing properties of *Ocimum sanctum* Linn. J Ethnophamacology 2004; 93: 197-206.
- 28. Ghangle GR, Tushar M, Jadhav ND. Evaluation of Antiulcer Activity of *Ocimum sanctum* in Rats. Veterinary World 2009; 2(12): 465-466.
- 29. Dubey NK, Singh P, Sukla R, Kumar A. Chemical composition, antifungal and antiaflatoxigenic activities of *Ocimum sanctum* L. essential oil and its safety assessment as plant based antimicrobial. Food and Tech 2010; 48: 539-543.

- 30. Manzoor N, Khan LA, Immaculata X, Yousuf S, Akhtar F, Aijaz A, Khan A. *Ocimum sanctum* essential oil and its active principles exert their antifungal activity by disrupting ergosterol biosynthesis and membrane integrity. Res Microbiology 2010; 161: 816-823.
- 31. Nikhat M, Aijaj A, Amber K. Anticandidal effect of *Ocimum sanctum* essential oil and its synergy with fluconazole and ketoconazole. Phytomedicine 2010; 17: 921
- 32. Ramesh B, Antioxidant Activities of Hydroalcoholic Extract of *Ocimum sanctum* Against Cadmium Induced Toxicity in Rats. Ind J Clin Biochem 2010; 25(3):307-310.
- 33. Asha MK, Prashanth D, Murali B, Padmaja R, Amit A. Anthelmintic activity of essential oil of *Ocimum sanctum* and eugenol. Fitoterapia 2001; 72: 669-670.
- 34. Bhatia AK, Kumar S, Goel A. Effect of *Ocimum sanctum* on the development of protective immunity against Salmonella typhimurium infection through cytokines. Asia Pacific J Tropical Med 2010; 3: 682-686.
- 35. Mukherjee R, Dash PK, Ram GC. Immunotherapeutic potential of *Ocimum sanctum* (L) in bovine subclinical mastitis. Res Vet Sci 2005; 79:37–43.
- 36. Rastogi S, Shukla Y, Paul BN, Chowdhuri DK, Khanna SK, Das M. Protective effect of *Ocimum sanctum* on 3-methylcholanthrene, 7,12-dimethylbenz(a)anthracene and aflatoxin B1 induced skin tumorigenesis in mice. Toxicol Appl Pharmacol 2007; 224(3): 228-240.
- 37. Karthikeyan K, Govindasamy S. Chemopreventive effect of *Ocimum sanctum* on DMBAinduced hamster buccal pouch carcinogenesis. Oral Oncology 1999; 35(1): 112-119.
- 38. Kim SC, Lee HJ, Ahn KS, Lee HJ. Ethanol extract of *Ocimum sanctum* exerts antimetastatic activity through inactivation of matrix metalloproteinase-9 and enhancement of anti-oxidant enzymes. Food Chemical Toxicology. 2010; 48(6): 1478-1482.
- 39. Parle, Evaluation of nootropic potential of *Ocimum sanctum*. IndJ Exp Bio 2005; 44:133-136.
- 40. Aswar KM, Joshi HR. Anti-Cataleptic Activity Of Various Extracts Of *Ocimum sanctum*. Inter J Pharma Res Dev 2010; 2(6):98-102.
- 41. Goel A, Kumar S, Singh DK, Bhatia AK. Wound healing potential of *Ocimum sanctum* Linn. with induction of tumor necrosis factor-alpha. Ind J Exp Bio 2010; 48(4): 402-406.
- 42. Udupa SL, Shetty S, Udupa AL, Somayaji SN. Effect of *Ocimum sanctum* Linn. on normal and dexamethasone suppressed wound healing. Ind J Exp Bio 2006; 44(1): 49-54.
- 43. Gupta SK, Joshi S, Halder N. *Ocimum sanctum* modulates selenite-induced cataractogenic changes and prevents rat lens opacification. Curr Eye Res 2005; 30(7): 583-591.
- 44. http://www.alibaba.com/herbal/manufacturers